**GARRETT GUILLOZET, MPA, REHS | HEALTH COMMISSIONER** 

470 SOUTH SANDUSKY STREET | DELAWARE, OHIO 43015 PHONE: (740) 368-1700 FAX: (740) 368-1736 | DELAWAREHEALTH.ORG



July 16, 2024

Plan 4 Land LLC 1 South Harrison Street PO Box 3067 Ashley, Oh 43003

Re: Lot Feasibility Letter for 4910 State Route 257 S. (Parcel # 500-320-02-016-000 & 500-320-02-017-000)

Per request, this office conducted a Lot Feasibility Study for the above referenced property. Based on the soil reports submitted dated February 1<sup>st</sup>, 2024, and an on-lot inspection performed on May 8<sup>th</sup>, 2024, the lot can be approved for a Small Flow Onsite Sewage Treatment System (SFOSTS) under current Sewage Treatment System Rules. The approval is based on a proposed banquet facility with a 200 person max event size, utilizing flow equalization to keep the wastewater created under 1000 gallons per day.


To begin the permitting procedure the system will need to be designed by a sewage treatment system designer. The site/plan review can then be applied for followed by the SFOSTS permit with this office.

This letter does not guarantee that the SFOSTS will be approved for this lot. The designated areas must be protected from disturbance as any disturbance may render the areas unusable.

If you have any questions or concerns, please contact me at 740-203-2078.

Sincerely,

Michael Rogich
Residential Services Unit
Environmental Health Division
Delaware General Health District



Emerald Farm SITE PLAN - DETAIL